



Exofit Strata™ Construction Style Positioning Harness

- LIFTech™ weight distribution system
- EZ-Link™ SRL adapter
- Tri-Lock Revolver™ quick connect buckles
- Stand-up Tech-Lite™ aluminum dorsal D-ring
- Body belt/hip pad with thermoformed EVA padding and Tech-Lite™ aluminum side D-rings
- Built-in lanyard keepers that automatically reset
- Revolver™ vertical torso adjusters
- Impact Indicator
- Integrated suspension trauma straps
- Customizable name tag
- Protected labels, equipped with i-Safe™

Sizes: Large-XL More sizes Available



Delta™ Comfort Construction Style Positioning Harness

- Built-in shoulder, back & leg comfort padding
- Fixed back D-ring
- Rigid body belt & hip pad w/side D-rings
- Tongue buckle leg straps
- Durable, lightweight polyester webbing
- Built-in lanyard keepers with break-away feature
- Revolver™ vertical torso adjusters
- Impact Indicator
- Protected labels, equipped w/i-Safe™

Sizes: Med-XL



PRO™ Construction Style Positioning Harness

- Back D-ring
- Body belt/hip pad w/side D-rings
- Tool and equipment rings
- Shoulder pads
- Protected labels
- Parachute torso adjusters
- Durable polyester web construction
- Tongue buckle leg straps
- Impact Indicator

Sizes: Small-XL



Fall Protection for Tools

Struck-by falling objects is a leading cause of injury for workers and the 3rd highest cause of death in the workplace. The DBI-SALA range of Python Safety products has been developed to prevent dropped tools and equipment. Fall Protection for Tools make work environments safer and more productive by drastically reducing incidents resulting in personal injury equipment damage and tool loss.

Learn more about Python on page 3



Mack Granite

- Composite Toecap
- Poron® XRD® MetGuard
- TractionSole
- Wellmax® Penetration Resistant
- H2O Resistant
- Slip Resistant
- Scuff Cap
- Reflective
- Silicone Gel Innersole
- Anti-torsion Sole
- Cambrelle® Lining
- Cowhide Full Grain Leather
- 300°C/572°F Heat Resistant Sole

Approved US Standard: ASTM F2413 – 11 (M I/75 C/75 MT 75 PR)

Colors: Black or Honey

Sizes: 5 - 16 | Half Sizes: 8.5 - 11.5

Fitting: Wide, low arched foot shape



Mack Bulldog

- Steel Toecap
- Slip Resistant
- Phylon Midsole
- PU Innersole
- ForefootFlex
- Rake10mm
- Quick Release Lace Loops
- Cambrelle® Lining
- Cowhide Full Grain Leather

Approved US Standard: ASTM F2413 – 11 (M I/75 C/75)

Colors: Black, Honey, or Rocky Brown

Height: 6" Weight: 1.65lb

Sizes: 4 - 16 | Half Sizes: 7.5 - 11.5

Fitting: High arched, narrow foot shape



Mack Heeler

- Composite Toecap
- H2O Resistant
- Slip Resistant
- Reflective
- Scuff Cap
- TractionSole
- Low Catch Sole
- Silicone Gel Innersole
- Cambrelle® Lining
- Cowhide Full Grain Leather
- 300°C/572°F Heat Resistant Sole

Approved US Standard: ASTM F2413 – 11 (M I/75 C/75)

Colors: Honey

Height: 7" Weight: 1.56lb

Sizes: 5 - 17 | Half Sizes: 8.5 - 11.5

Fitting: Wide, low arched foot shape

EYE PROTECTION



SAS 5330 NSX Turbo

- High-impact polycarbonate lens
- 99.9% UV Protection
- Mono lens design
- Scratch resistant coating on lenses
- Lightweight wrap-around lens
- Non-slip temples
- Meets ANSI Z87.1-2015
- 12/bx



MCR UD110PF USS Defense

- Gunmetal Frame, Clear Lens
- MAX 6 anti-fog coating
- Scratch Resistant Lens
- Stylish Design
- Meets ANSI Z87.1+ High Impact standard
- 12/bx



Jackson 25688 V30 Nemesis

- Black Frame, Smoke Mirror Lens
- Sporty, flexible, lightweight design w/wraparound, 8-base curve lens
- Soft-touch temples for added comfort
- Lenses provide 99.9% UV protection
- Neck cord included
- Meets ANSI Z87.1+2010 High Impact standard
- 12/bx



SAS 540-0200 Diamondback

- High-impact polycarbonate lenses
- 99.9% UV Protection
- Anti-fog and scratch resistant coating on lenses
- Wrap-around design hugs the face
- Non-slip nose piece
- Non-slip temples
- Meets ANSI Z87.1-2015
- 12/bx



MCR BK110 BearKat

- Frost Frame, Clear Anti-scratch lens
- 1-piece, "frameless" safety glasses
- Polycarbonate lens with Duramass® scratch-resistant coating
- Flexible, bayonet temples and black, rubber temple sleeves for use with breakaway cords
- Meets ANSI Z87.1+ High Impact standard
- 12/bx



Jackson 25714 V40 Hellraiser

- Black Frame, Smoke Lens
- Streamlined, sunglass styling w/lightweight & flexible design
- Features flex-point temples for comfort and stability and 8-base curve lens
- Meets ANSI Z87.1+ High Impact standard
- 12/Box



3M SF401AF SecureFit

- Clear, Antifog lens
- Stylish design weighs less than 1 oz
- Soft adjustable nosepiece
- 3M™ Pressure Diffusion Temple Technology
- Polycarbonate lens absorbs 99.9% UV.
- Meets the ANSI Z87.1+ High Impact standard
- 20/bx



UVEX 804 Eyewear

- Gray Frame
- I/O Silver Mirror Lens
- Sporty, 9-base wrap-around polycarbonate lens
- Non-slip rubber nose bridge
- Unique temples w/soft, padded inserts down the length of the temple
- ANSI - Meets the ANSI Z87.1-2010 standard
- 10/bx



DeWalt DPG95-11D Framework

- Foam Shield™ lining.
- Elastic head strap provides an adjustable, secure fit.
- Double Duty™ temples and elastic head strap are interchangeable with easy snap on and off.
- Tough polycarbonate lens provides impact resistance
- Meets ANSI Z87.1+ standards.
- Protects against harmful UV rays.
- 12/bx



Uvex S3960C Uvex Stealth® Goggles

- Gray Body, Clear Lens
- Uvextreme Anti-fog Coating
- Futuristic, low profile design for chemical splash and impact
- Toric lens provides superior optics and peripheral vision
- Indirect ventilation system minimize fogging
- Quick-adjust headband
- Meets ANSI Z87.1+ High Impact standard
- 1/ea



DeWalt DPG-82-11 Concealer Goggle

- Dual Injected Rubber provides a soft comfortable seal
- Hard Coat Lens
- Elastic Head Strap provides a comfortable & easily adjustable fit
- Built-In Ventilation Channel provides extra fog control & ventilation
- Meets ANSI Z87.1+ Standards
- 1/ea



3M 11872-00000-20 Virtua CCS

- Unique temple design controls and holds the cord of earplugs to keep it securely in place
- Clear, frameless design, blue temples
- Anti-fog lens
- Contains foam gasket attachment
- Cord Control System Temples for Earplug Attachment
- 20/bx

*see page 5 for earplugs

HOLDS EARPLUG CORDS IN PLACE

FALL PROTECTION



- Python™ 1500049
Hook2Loop Bungee Tether**
- Medium Duty
 - Tool lanyard
 - Bungee tether
 - 35 lb. (15.9kg) capacity locking carabiner
 - 1/ea



- Python™ 1500030
D-Ring Attachment**
- 1.2" diameter
 - 1 lb. (0.9 kg) capacity
 - Creates instant attachment points
 - 10/cs



- Python™ 1500009
D-Ring Attachment w/Cord**
- D-ring attachment point with cord
 - Extremely lightweight and compact
 - Durable and reusable
 - Simple installation to most tools
 - 10/cs



- Python™ 1500119 Small Parts Pouch**
- Innovative self-closure system
 - Can be used from a belt or harness
 - Made from 18 oz duck canvas
 - Black
 - 1/ea



- Python™ 1500022 Heat Shrink**
- 2" x 4"
 - Apply heat to shrink
 - Protects Python Safety™ Quick Wrap Tape
 - Other sizes available
 - 10/cs



- Python™ 1500107 Dual Tool Holster with 2
Retractors Belt**
- Beacon™ High Visibility Reflectors
 - Quick-Mag™ holds tools in place without holstering
 - Neoprene pockets fit 2x retractors
 - Bottom drain vent
 - 1/ea



- Miller AC-QC-D/UGN
AirCore Harness**
- Patented DuraFlex Stretchable Webbing
 - Quick-Connect chest and leg straps
 - Removable Belt
 - Stand up back D-Ring
 - Side D-Rings
 - Universal



- MSA 10072479 Workman®
Full-Body Harnesses**
- Vest Style
 - Back D-Ring
 - Qwik-Fit Chest Straps
 - and Leg Strap Buckles
 - Standard



Protecta FIRST™ Vest-Style Harness

- Back D-ring
- Tongue buckle leg straps
- Parachute torso adjusters
- Durable polyester web construction



- Miller RDT-QC/UBKU Revolution™
Harnesses**
- Stand-up back D-Ring
 - Shoulder pads
 - Cam shoulder buckles
 - Universal



- MSA 10077571 Workman®
Construction Harness**
- Vest Style
 - Back D-Ring
 - Hip D-Ring
 - Shoulder Pads
 - Standard



•1340161

PRO™ Lanyards 1340101

- Stretch Shock Absorbing Lanyard
- 6 ft. (1.8m) single-leg with elastic web and snap hooks at each end.

1340161

- Stretch 100% Tie-Off Shock Absorbing Lanyard
- 6 ft. (1.8m) double-leg 100% tie-off with elastic web and snap hook at center, steel rebar hooks



HAND PROTECTION



Ansell

Ansell 80-100 PowerFlex®

- Heavy Duty
- Blue Natural Rubber Latex coating
- Features a soft, seamless poly/cotton knit liner
- Superior wet and dry grip
- Powerful combination of grip, abrasion and puncture resistance
- Fully-coated thumb
- Sizes 8-10 (More sizes available)



Ansell

Ansell 80-813 PowerFlex®

- Foam coating
- Flame resistant even after multiple launderings
- ANSI Level 4 cut protection
- Offers an ergonomic design, superior comfort, dexterity and flexibility based on patented technology
- Thin 13g knitted liner with DuPont™ Kevlar® increases productivity and compliance
- Proprietary soft foam coating
- Sizes 9-11 (More sizes available)



Ansell

Ansell 11-801 Hyflex®

- Black Foam Nitrile
- Patented Knitted Variable Stitch Design (KVSD)
- Advanced technology for relaxed fit in high stress areas
- Molds naturally to hand, helping prevent fatigue
- Industrial-friendly color hides dirt and grime, increasing time between laundry cycles
- Precision, dexterity and flexibility
- Size 6-10 (More sizes available)



MCR 1700L Big Jake

- Heavy select chrome tanned side split leather
- Sewn with super-strong, heat resistant DuPont™ Kevlar® thread
- Gunn pattern
- Size: Large (More sizes available)



MCR 3601 Drivers Glove

- Premium Grade Grain Goatskin
- Straight Thumb
- Shirred Elastic Back
- Color-coded hem to identify size
- Size: M-L (More Sizes Available)



Mechanixwear MFF-05 FastFit

- Form-fitting TrekDry® material helps keep hands cool and comfortable
- Elastic cuff provides a secure fit with easy on/off flexibility
- Reinforced thumb and index finger provide added durability
- Anatomically designed two-piece palm eliminates material bunching
- Durable synthetic palm
- Sizes 8-12



Mechanixwear MG-05 The Original

- Form-fitting TrekDry® helps keep hands cool and comfortable
- Flexible Thermal Plastic Rubber (TPR) closure provides a secure fit to the wrist
- Industrial grade hook and loop
- Double-stitched index finger construction improves durability
- Seamless synthetic leather palm provides optimal dexterity
- Machine washable
- Sizes 8-12



Honeywell

Honeywell 380 Pure Fit

- 13 cut, lightweight white nylon liner with gray foamed nitrile palm coating
- Size M-XL



Honeywell

Honeywell KV18A-100-50 Junk Yard Dog

- Junk Yard Dog ANSI Cut Level 4
- Heavy weight 100% KEVLAR with full premium leather palm, Reinforced thumb crotch
- Double-stitched index finger construction improves durability
- Size (Men's, Ladies', Jumbo)



MCR PD2903 Predator Glove

- Foam padded Cow grain leather palm
- Brown 2 way spandex fabric back
- Full Patent Pending tire tread TPR on back of hand
- Reinforced thumb crotch
- Hook and loop closure with ID panel
- Synthetic leather fourchettes
- for breathability and comfort
- Sizes M-XL (More Sizes Available)

HEARING PROTECTION

3M

3M™ E-A-R™ Classic™ Earplugs

- Slow-recovery earplug foam is flame-resistant and moisture-resistant
- NRR 29 dB
- 310-1001 Classic, uncorded, pillow pack
- 311-1101 Classic, corded, poly bag



Howard Leight MAX® Earplugs

- Contoured design easier to insert, resists tendency to back-out of ear canal
- Polyurethane foam enhances comfort, especially for long-term wear
- Smooth, soil-resistant closed cell-foam skin prevents dirt build-up
- NRR 33
- MAX-1 Uncorded, 200pr/bx
- MAX-30 Corded, 100pr/bx



Moldex SparkPlugs® Foam Earplugs

- 100% PVC-Free®
- NRR 33
- Extra-soft, low-pressure foam for comfort and fit
- Tapered shape for easy insertion and removal
- 6604 Uncorded 200pr/bx
- 6654 Corded 100pr/bx



Moldex Meteors® Foam Earplugs

- 100% PVC-Free®
- Soft, slow recovery foam and contoured shape molds easily to the ear canal for all day comfort.
- The contours follow the shape of the ear canal which means less pressure at the smallest diameter of the earplug.
- NRR 33
- 6870 uncorded 200pr/bx
- 6970 corded 100pr/bx

3M

3M™ Tri-Flange™ Earplugs

- Triple-flanged, premolded design
- Livewire stem fused w/flanges looks cool, inserts easily and fits comfortably
- NRR 26
- P3000 Tri-Flange, corded 100 pr/bx



Howard Leight SMF-30 SmartFit Earplugs

- Reusable
- Delivers superior comfort
- Simplifies inventory control – a single product fits almost every wearer
- Detachable cord system and HearPack storage case
- NRR 25
- 100/bx

3M

3M™ H10A Peltor™ Optime™ 105 Earmuffs

- Over the head ear muffs
- “Double-shell” earcup design
- Liquid foam-filled cushions provide good seal and low surface pressure
- NRR 30



Howard Leight 1010924 Leightning Earmuff

- Padded foam headband
- Super soft ear cushions
- Patented Air Flow Control™
- NRR 30
- Tested to ANSI S3.19-1974



Moldex 6445 Glide®

- Unique multi-curved stem rotates for a custom fit
- Large handle on curved stem for easy insertion & removal
- Soft triple flange plug can be washed and reused
- Cord can be attached at any desired length
- 100% PVC-Free®
- Made in U.S.A.
- NRR 27
- 50/bx

DISPOSABLE CLOTHING



Kimberly-Clark KleenGuard® A40 Liquid and Particle Protection Coveralls

- ANSI/ISEA 101-1996 sizing standard
- Collar, Open Wrists and Ankles
- Breathable, microporous film laminate
- Low in lint
- Size L-3XL



Dupont Tyvek® Coveralls

- Attached Hood and Boots, Elastic Wrists and Ankle
- Composed of flash spun high density polyethylene provides an ideal balance of protection, durability and comfort of any limited use fabric technology.
- Inherent barrier against particles
- Protection is built into the fabric itself; there are no films or laminates to abrade or wear away.
- Size L-2XL



3M

3M 8511 N95 Particulate Respirator

- NIOSH approved for at least 95 percent filtration efficiency against certain non-oil based particles
- 3M Cool Flow Exhalation Valve reduces heat build-up inside the respirator
- Adjustable M-noseclip reduces potential for eyewear fogging
- Designed to increase comfort and wearability
- Advanced Electret Media is designed for ease of breathing
- 10/bx



MOLDEX
Breathe that extra air.

Moldex 2300N95 Particulate Respirator

- 100% PVC-Free®
- Exhale valve lets workers breathe easy and stay cool
- Exclusive Dura-Mesh® shell resists collapsing in heat and humidity.
- Molded nosebridge
- Soft, foam nose cushion for added comfort.
- Softspun® lining for increased comfort & durability
- Size: Med/Large
- 10/bx



3M

3M 8210 N95 Particulate Respirator

- NIOSH approved for at least 95 percent filtration efficiency against certain non-oil based particles
- Two-strap design with welded dual point attachment helps provide a secure seal
- Cushioning nose foam
- Adjustable noseclip helps provide a custom fit & secure seal
- Lightweight construction
- Advanced electrostatic media is designed for ease of breathing
- 20/bx



MOLDEX
Breathe that extra air.

Moldex 4200 Airwave Particulate Respirator

- Exclusive easy-breathing wave design
- Less resistance, better breathability*
- Ideal where unvalved respirators are preferred
- Less cost than valved respirators
- Longer wear means less cost
- Softspun® lining for increased comfort and durability.
- Soft foam nose cushion and contour shaped for comfort
- Pinch free nose bridge
- Size Med/Large
- 10/bx



3M

3M 8515 N95 Particulate Respirator - Welding

- N95 Approved for certain non-oil based particles
- Economical filtering facepiece particulate welding respirator
- 3M™ Cool Flow™ Exhalation Valve
- Soft inner materials
- Flame resistant as demonstrated per modified ASTM D2859
- Compatible with a variety of protective eyewear and hearing protection
- Adjustable M-noseclip
- Braided headbands help provide a secure fit.
- 10/bx



3M

3M™ 7500 Series Half Facepiece Respirators

- Half facepiece ultimate reusable respirator
- Advanced silicone material for increased comfort and durability
- 3M™ Cool Flow Valve for cool, dry comfort
- Dual-mode head harness for standard or drop-down mode
- Sizes: Small, Medium, Large



3M

3M™ 6000 Series Full Facepiece Respirators

- Large lens for wide field of view
- Lightweight, balanced design
- Silicone face seal for greater comfort and durability
- Cartridges and filters sold separately.
- Meets NIOSH 42 CFR 84 requirements.
- Sizes: Small, Medium, Large



3M

3M™ 2097 Particulate Filter P100

- Nuisance Level Organic Vapor Relief & Ozone Protection
- Exceptional 99.97% filter efficiency meets NIOSH P100-series test criteria
- Advanced Electret Media (AEM)
- Versatile protection against many oil and non-oil based particulate contaminants
- Bayonet compatibility allows use with many 3M™ half and full facepiece designs
- 2/pk



3M

3M™ 2091 Particulate Filter P100

- Exceptional 99.97% filter efficiency meets NIOSH P100-series test criteria
- Advanced Electret Media (AEM) provides lightweight, easy breathing comfort
- Versatile protection against many oil and non-oil based particulate contaminants
- Bayonet compatibility allows use with many 3M™ half and full facepiece designs
- 2/pk

3M

3M™ 6001 Organic Vapor Filter

- Swept-back design for enhanced field of view and balance
- Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders.
- 2/bx



3M

3M™ 5P71 Replacement Particulate Filter

- Particulate Pre-Filter P95
- Can be used with 3M™ 5000 Series Respirators and 3M™ 6000 Series
- Cartridges, used with the 501 Filter Retainer.
- 10/bx



HEAD & FACE PROTECTION



MSA V-Gard® Standard Caps

- Durable high-density polyethylene shell designed with accessory slots
- Fas-Trac® ratchet suspension
- Includes Cushionaire™ sweatband and adjustable crown straps
- Meet ANSI/ISEA Z89.1-2009, Type 1, Class E
- Colors: White, Yellow (More colors available)



MSA V-Gard® Full Brim Hats

- Durable, high-density polyethylene shell
- Fas-Trac® ratchet suspension system
- Includes Cushionaire™ sweatband and adjustable crown straps.
- Meets ANSI Z89.1-2009, Type 1, Class E and voluntary standard for low temperature (LT) and reverse donning.
- Colors, White, Yellow (More colors available)



MSA 10115836 Visor

- Clear, Contoured visor
- 8 x 17" x .04"
- Closer fit and improved resistance to impact and splash hazards
- Superior UV protection
- Only works with V-Gard frames
- Meets ANSI/ISEA Z87.1-2010 requirements



MSA 10115730 Frame

- Fits all MSA Slotted Caps
- Sold with replaceable debris control
- Stowable slot adaptors secure frame tightly in slotted MSA caps, and allow frame to work with or without earmuffs
- Sliding adjustment blades allow visor to work with most half-mask respirators and other PPE worn under a visor
- Meets ANSI/ISEA Z87.1-2010 requirements



Weldas 20-3200 * SWEATSOPAD Sweatband,

- 100% fleece cotton
- Excessive perspiration and helps to minimize "helmet-head" and helmet slippage
- Flame-retardant treated with hook-and-loop fastener
- Russet
- 2/pk



Occunomix 932-BL PV Bandana

- PVA material absorbs sweat and provides instant cooling relief
- Works without freezing or ice and is reusable
- Reusable and machine washable
- UPF 50+ rated
- Blue
- 1/ea



FOOTWEAR



Mack Blast

- Size Zip Closure
- Steel Toecap
- H2O Resistant
- Slip Resistant
- Anti-Static
- Scuff Cap
- 150°C/302°F Heat Resistant Sole
- Nubuck Full Grain Leather
- Knitted Polyester Lining

Approved US Standard: ASTM F2413 – 11 (M I/75 C/75)

Colors: Honey

Height: 7" Weight: 1.79lb

Sizes: 5 - 16

Fitting: Wide heel and arch region



Mack Charge

- Steel Toecap
- H2O Resistant
- Slip Resistant
- Anti-Static
- Scuff Cap
- 150°C/302°F Heat Resistant Sole
- Cowhide full grain leather
- Knitted Polyester Lining

Approved US Standard: ASTM F2413 – 11 (M I/75 C/75)

Colors: Black or Honey

Height: 7" Weight: 1.70lb

Sizes: 5 – 14 | Half Sizes: 7.5 – 11.5

Fitting: Wide heel and arch region



HIGH VIS



Occunomix LUX-ETBJR 3-WAY Black Bottom Bomber Jacket

- Class 3 Compliant
- 2" Silver reflective tape
- 100% ANSI Polyester with PU coating - waterproof with sealed seams
- 100% Black Polyester Fleece zip-out liner can be worn as a separate jacket
- Roll-away hood
- Sizes: L-2XL (More sizes available)



Occunomix LUX-SSETPBK TShirt

- ANSI Class 2
- 2" Silver reflective tape
- 100% ANSI Wicking Birdseye
- Lightweight fabric provides comfort, black bottom front to hide dirt
- Sizes: L-2XL (More sizes available)



Occunomix LUX-SWT3HZ Premium Wicking Zip-Up Sweatshirts

- Class 3 Compliant
- 2" 3M™ Scotchlite™ Reflective Material:
- One 360° horizontal stripe, two vertical stripes, and four 360° horizontal sleeve stripes
- 100% ANSI Wicking Polyester
- Zipper closure
- Available in Yellow
- Sizes: L-3XL (More sizes available)



Occunomix ECO-G Value Solid Vest

- Class 2
- 2" Silver reflective tape
- 100% ANSI Polyester Tricot
- Dual sized
- Hook & loop closure
- Yellow
- Sizes: S/M, L/XL, 2X/3X



Occunomix ECO-GC Value Mesh Vest

- Class 2
- 2" Silver reflective tape
- 100% ANSI Polyester Mesh
- Dual sized
- Pockets: 1 inside left chest w/ hook & loop closure
- Hook & Loop closure
- Yellow
- Sizes: S/M, L/XL, 2X/3X

WATER SAFETY

Flotation Vests Ideal for Bridge and Dam Construction



•ANSI



•Orange



Coleman I424 Work Zone Gear Vests

- US Coast Guard-approved Type III
- Comfortable, high-visibility protection on the water
- 3M™ Scotchlite™ Reflective Material SOLAS-grade 6187 on panels
- Durable construction—lightweight Crosstech® flotation foam and polyester outer shell
- D-ring for attaching gear
- Minimum 15.5 lbs. (69 Newtons) buoyancy
- Available in Orange and ANSI
- Sizes: XL-2XL



Coleman I223ORG-00-000 Force II Vest

- Opening on back for fall protection harness
- Coated with strong, durable PVC
- Self-extinguishing – ASTM1692-74
- 3M Scotchlite Reflective Material
- SOLAS-grade 3150-A
- Size Universal



Coleman I222 Work Master Vest

- Nylon outershell with marine mesh inner lining
- Flotation collar
- Hinged back panel
- Minimum 17.5 lbs. of buoyancy
- 3M Scotchlite Reflective Material
- SOLAS-grade 6755
- Sizes: Adult Universal and Oversized