



JACKSON

Jackson V80 Wildcat Goggle

- Black frame
 - Extreme heat resistance
 - Metal-free design to minimize electrical transference risk
 - Adjustable side vents increase airflow
 - Meets ANSI Z87.1+2010 high impact standard 20525 Clear, Anti-fog lens
20528 IRUV 3.0, Anti-fog lens
- More lens colors available



MCR Backdraft®

- Gunmetal frame, clear lens
 - Dielectric, no metal parts, dielectric break away cord included
 - Lightweight, contoured frameless design
 - Internal TPR side shields
 - MAX6™ Anti-fog lens
 - Black TPR temple sleeves
- BD110PF Clear Lens
BD112PF Grey Lens

More eyewear on page 2



Mechanixwear CarbonX Level 5

- Meets or exceeds SFI 3.3/5 specifications. ARC 47.6
- Two layers of fire retardant CarbonX® shield the back of hand.
- Genuine leather palm layered with CarbonX®.
- Genuine leather reinforcement panels in high wear areas.
- Accordion knuckle with high-density foam impact protection.
- Hook and loop closure provides a secure fit.
- Sizes M-XL



More hand protection on page 4



MSA V-Gard® Full Brim Hats

- Durable, high-density polyethylene shell
- Fas-Trac® ratchet suspension system
- Includes Cushionaire™ sweatband and adjustable crown straps.
- Meets ANSI Z89.1-2009, Type 1, Class E and voluntary standard for low temperature (LT) and reverse donning

475369 White
475366 Yellow
475370 Green
475368 Blue
475371 Red



MSA 10116627 V-Gard Standard Frame

- Heavy-duty, flat rubber strap allows easy and secure placement of frame on the hat
- Design allows use with other personal protective equipment, such as earmuffs and most half-mask respirators
- Non-metal construction enables use in electrical applications
- Fits all non-slotted MSA full-brim hats



MSA 10115847 V-Gard Arc Flash Visor

- 9.25" x 18" x .065" polycarbonate visor
- Impact-rated protection
- Extended length and width for greater coverage of face and neck

More head & face protection on page 2



MSA V-Gard® Standard Caps

- Durable high-density polyethylene shell designed with accessory slots
- Fas-Trac® ratchet suspension
- Includes Cushionaire™ sweatband and adjustable crown straps
- Meet ANSI/ISEA Z89.1-2009, Type 1, Class E

475358 White
475359 Blue
475360 Yellow
475362 Green
475363 Red
475364 Gray



3M™ Peltor™ X Series, Optime Earmuffs

- Electrically insulated (dielectric) wire headband
- Lightweight, low-profile earmuffs are ideal for a variety of noisy applications

X1A	22db
X2A	24db
X3A	28db
X4A	27db
X5A	31db

More hearing protection on page 2

EYE PROTECTION



3M

3M™ Virtua™ Eyewear

- Lightweight design weighs less than an ounce for comfort
- Wraparound design provides extended eye protection and unobstructed viewing
- Unisex styling fits a variety of facial profiles
- Polycarbonate, scratch resistant lenses absorb 99.9% UVA and UVB

11326-00000-20 Clear Temples, Clear Lens

11329-00000-20 Clear Temples, Clear Lens, Anti-fog



3M

3M™ BX™ Reader Eyewear

- BX features molded-in magnifying diopters
- Lightweight lenses with adjustable integrated sideshields.

11374-00000-20 Silver Frame/Clear Lens 1.5 Diopter

11375-00000-20 Silver Frame/Clear Lens 2.0 Diopter

11376-00000-20 Silver Frame/Clear Lens 2.5 Diopter



3M

3M™ 11476-00000-10 Lightvision 2

- Grey frame, clear anti-fog lens
- Integral hands-free lighting
- Dual LED Lights



MCR Law®

- Orange temple inserts, clear anti-fog lens
- Dielectric, no metal parts
- Single lens design with integral side shields for greater orbital seal
- Hybrid temple design
- Thermal Plastic Rubber (TPR) temple inserts and nose pads enhance grip and comfort
- Rugged polycarbonate lens filters 99.9% of harmful U.V. rays

LW210AF Clear Lens, Anti-fog

LW212AF Grey Lens, Anti-fog



MCR Law OTG®

- Oversized frame and lens to fit over prescription glasses
- Dielectric design, no metal parts
- 5 position ratchet action temple allows lens angle adjustment
- Exclusive Duramass® scratch resistant coating
- Rugged polycarbonate lens filters 99.9% of harmful U.V. rays

OG110AF Clear Lens, Anti-fog

OG112AF Grey Lens, Anti-fog



Honeywell

Honeywell S2943 Hypershock®

- Matte black frame, SCT-Reflect 50 hardcoat lens
- Lightweight, wrap-around frame
- 100% dielectric
- Other lens colors available



JACKSON

Jackson SC-6 Hardhats

- Meets ANSI Z89.1 Class C, G, E
- 4-Point Comfort Ratchet Suspension
- Smooth Dome Design
- Lightweight - Molded from HDPE
- Accessory slots for attaching additional PPE
- Ratchet sizing from head sizes: 6-1/2 to 8

14834 White
14833 Yellow
14838 Blue
14839 Orange
14837 Green
14841 Red



JACKSON

Jackson 8-pt Full Brim Hardhats

- Meets ANSI Z89.1 Class C, G, E
- 8-Point Ratchet Suspension
- Smooth Dome Design
- Anti-Glare Bill
- Full 360 Brim protects wearer from natures elements
- Ratchet sizing from head sizes: 6-1/2 to 8

20697 White
20698 Yellow
20699 Blue
20701 Orange
20718 Green
20702 Red



Honeywell

Howard Leight QM24+ Earmuff

- Ultra lightweight design
- Multiple-position headband allows wearer to select position over the head, behind the head or under the chin
- Alternative to cap-mounted earmuffs – wear with hard hats, face shields, respirators and other PPE
- Dielectric construction suitable for electrical environments
- NRR25



**MSA 10152637 Workman®
Arc Flash Harness**

- Durable, nylon material won't melt or drip in the event of an arc flash
- Y-shaped D-locator pad keeps torso straps off of the user's neck to prevent chafing
- Velcro lanyard keepers for lanyard stowage when not in use
- Arc Flash symbol for easy identification
- Standard size
- More sizes available



**ExoFit NEX™ 1113317
Arc Flash Harness**

- Arc flash rated
- PVC coated aluminum back D-ring
- PVC coated aluminum side D-rings
- Nomex®/Kevlar® fiber webbing and comfort padding, locking quick connect buckle leg straps
- Size Large



**Miller RKNAR-QC/UBK
Revolution Harness**

- Engineered with permanent fire retardant (FR) properties
- Offers the durability and FR properties of Kevlar on the outer side, with softer FR Nomex on the inside of the webbing for greater comfort
- Assures arc protection and durability that eclipses any nylon webbing
- Rated to 400-lbs. capacity
- Leather insulators
- Web back D-ring
- Universal Size



**Python Safety™ 1500062
Hard Hat Coil Tether**

- Hard hat lanyard, coil tether, 2 lb. (0.9 kg) capacity
- Simple one-handed operation
- Easy to attach to any hard hat
- Compact design



**Python Safety™ 1500119
Small Parts Pouch**

- Innovative self-closure system
- Can be used from a belt or harness
- Made from 18oz duck canvas
- Black




Python™ 1500134 Canvas Safe Bucket

- Canvas bucket with hook and loop closure system, 100 lb. (45.4 kg) capacity
- Heavy-duty 24oz cotton duck canvas
- Puncture resistant plating sewn into the base of the bucket
- Six built in connection points with 10 lb. (4.5 kg) load rating each
- Carabiner and hoisting strap
- Innovative hook and loop closure system



Mechanixwear MPT-58 FastFit

- Patented Impact Guard™ protects the first knuckle with EVA foam padding
 - Flexible TPR closure provides a secure fit to the wrist
 - Form-fitting TrekDry® material keeps your hands cool and comfortable while you work
 - Armortex® palm reinforcement panel
 - Dual-layer internal fingertip reinforces the index and thumb for added durability
 - XRD® open-cell palm padding absorbs impact and vibration through the hand
 - Durable synthetic leather palm
- Sizes 9-11



Honeywell

Honeywell E-Safe Plug Lockouts

- Completely encloses plug from any accidental reconnection
 - Electrical cable is inserted through the opening and then closed
 - Made of polypropylene plastic, which is totally dielectric and resists cold or hot temperature
- LP110 Single entry, accepts 110 V & certain models of the 220 V plugs
 LP550 Multiple entry, accepts 220 V & 550 V plugs



Mechanixwear MG-05 The Original

- Form-fitting TrekDry® helps keep hands cool and comfortable
- Flexible Thermal Plastic Rubber (TPR) closure provides a secure fit to the wrist
- Industrial grade hook and loop
- Double-stitched index finger construction improves durability
- Seamless synthetic leather palm provides optimal dexterity
- Machine washable
- Sizes 8-12



Honeywell

Honeywell CBLOK10R Cable Lock-Out Device

- High-viz red nylon hasp
- Holds 6 padlocks
- Galvanized cable, PVC coated
- Cable length 10'



Mechanixwear MFF-05 FastFit

- Form-fitting TrekDry® material helps keep hands cool and comfortable
- Elastic cuff provides a secure fit with easy on/off flexibility
- Reinforced thumb and index finger provide added durability
- Anatomically designed two-piece palm eliminates material bunching
- Durable synthetic palm
- Sizes 8-12



Honeywell

Honeywell M-Safe MS01 Lockout Hasp

- Heavy-duty hasp is made entirely of dielectric nylon
- Holds 1-6 padlocks allowing users to properly lockout equipment and prevent accidental operation
- Non-conductive and chemical-resistant for strength and durability



Ansell

Ansell 11-644 Cut Resistant Gloves

- INTERCEPT cut resistance Technology
- ANSI Level 2 cut protection for worker confidence on the job
- ANSI Level 5 abrasion protection for longer wear life
- Gloves can be washed and re-used without loss of cut protection
- Sizes 9-12



Occunomix FR Cotton Single Stripe Solid Vest

- ANSI Class 2
 - 2" 3M™ Scotchlite™ Reflective Material
 - 100% ANSI Flame Resistant Cotton/Polyester blend
 - Nomex® thread
 - Flame resistant binding
 - Hook & Loop closure
 - Meets ASTM F1506
 - Arc Rating: ATPV= 7.1cal /cm²
 - NFPA 70E/HRC = 1
 - Flame resistant through 25 washes
- LUX-SSCGFR/L Large
 LUX-SSCGFR/XL X-Large

