



MCR S1N - Flame Resistant (FR)

Work Shirt

- NFPA 2112 UL Certified
- ASTM F1506 Electric Arc Protection
- ATPV ASTM 1959 9.5 cal/cm²
- NFPA 70E Hazard/Risk Cat HRC2
- Max Comfort™ 6.5 oz. 88% cotton/12% nylon FR sateen fabric
- Sewn with Nomex® Flame Resistant thread
- Two needle top stitching on major seams
- Extended back tail to stay tucked in
- Navy
- Size L-XL



DuPont™

TY120 Tyvek® Coveralls

- Comfort Fit Design
- Collar; Open Wrists and Ankles
- Elastic Waist
- Serged Seams
- White
- Size M-5XL



DuPont™ TP198T Tychem® ThermoPro Coverall

- Certified to NFPA 1992, NFPA 2112, and the Category 2 Requirements of NFPA 70E
- Respirator Fit, Drawstring Hood, Elastic Wrists
- Open Ankles, Double Storm Flap with Hook & Loop Closure
- Taped Seams
- Orange
- Size M-XL



MSA V-Gard® 10052945

American Stars and Stripes

- Durable high-density polyethylene shell designed Industrial-strength head protection that's light weight yet durable
- Featuring Fas-Trac® III Suspension and slots for impact resistance and personal comfort



Ansell 80-813 Powerflex Glove

- Glove materials are inherently flame resistant
- Thin 13g knitted liner with DuPont™ Kevlar® increases productivity and compliance
- ANSI Level 4 cut
- Meets FR Testing CGSB 155.20-2000
- Provides Hazard/Risk Category (HRC) Level 2
- Arc Flash Protection (ATPV) 12 cal/cm²
- Sizes 7-11
- 12/pk



Showa 240 Arc Flash Protection

- 13 Gauge knitted liner containing Kevlar®, Modacrylic, and Fibreglass
- Protects against arc flash: Arc flash level 2
- EN388 Cut level 5 resistance (ANSI Cut Level 4)
- Flat dipped sponge neoprene coating provides excellent grip
- Flame resistant materials
- Sizes M-XL
- 12/pk



3M™ Peltor™ X Series, Optime Earmuffs

- Electrically insulated (dielectric) wire headband
- Lightweight, low-profile earmuffs are ideal for a variety of noisy applications

X1A	22db
X2A	24db
X3A	28db
X4A	27db
X5A	31db

SAFETY PRODUCTS



JACKSON

Jackson 25688 V30 Nemesis

- Black Frame, Smoke Mirror Lens
- Sporty, flexible, lightweight design w/wraparound, 8-base curve lens
- Soft-touch temples for added comfort
- Lenses provide 99.9% UV protection
- Neck cord included
- Meets ANSI Z87.1+2010 High Impact standard
- 12/bx



JACKSON

Jackson 25627 V10 Element

- Clear Frame, Clear Lens
- Lightweight
- Lenses provide 99.9% UV protection
- 12/bx



see page 5 for earplugs

3M

3M 11872-00000-20 Virtua CCS

- Unique temple design controls and holds the cord of earplugs to keep it securely in place
- Clear, frameless design, blue temples
- Anti-fog lens
- Contains foam gasket attachment
- Cord Control System Temples for Earplug Attachment
- 20/bx



3M

3M™ SF201AF SecureFit™

- Stylish, lightweight design weighs less than 1oz
- Features proprietary 3M™ Pressure Diffusion Temple Technology that helps diffuse pressure over the ear to enhance frame comfort while not compromising the security of fit across a diverse workforce.
- Clear Lens
- Anti-Fog
- 20/bx



3M

3M™ E-A-R™ Classic™ Earplugs

- Slow-recovery earplug foam is flame-resistant and moisture-resistant
- NRR 29 dB
- 310-1001 Classic, uncorded, pillow pack
- 311-1101 Classic, corded, poly bag



MSA V-Gard® Standard Caps & Hats

- Durable high-density polyethylene shell designed with accessory slots
- Fas-Trac® ratchet suspension
- Includes Cushionaire™ sweatband and adjustable crown straps
- Meet ANSI/ISEA Z89.1-2009, Type 1, Class E

Caps

475358	White
475359	Blue
475360	Yellow
475362	Green

Full Brim Hats

475369	White
475366	Yellow
475370	Green
475368	Blue
475371	Red



MSA 10115847 V-Gard

Arc Flash Visor

- 9.25" x 18" x .065" polycarbonate visor
- Impact-rated protection
- Extended length and width for greater coverage of face and neck



Moldex Glide®

6445 Reusable Triple Flange - NRR 27

- Unique multi-curved stem rotates for a custom fit
- Large handle on curved stem for easy insertion & removal
- Soft triple flange plug can be washed and reused
- Cord can be attached at any desired length

6940/6945 Twist In Foam - NRR 30

- Unique multi-curved stem rotates for a custom fit
- Large handle for easy insertion & removal
- Large soft foam pod for a comfortable, snug seal
- 6445 Reusable Corded, 50/bx
- 6940 Twist in Foam, Uncorded, 100/bx
- 6945 Twist in Foam, Corded, 100/bx



Moldex Meteors® Foam Earplugs

- 100% PVC-Free®.
- Soft, slow recovery foam and contoured shape molds easily to the ear canal for all day comfort.
- The contours follow the shape of the ear canal which means less pressure at the smallest diameter of the earplug.
- NRR 33
- 6870 uncorded 200pr/bx
- 6970 corded 100pr/bx

3M

3M™ E-A-R™ UltraFit™ Earplugs

- Premolded, itscomfortably in a wide range of ear sizes
- Soft polymer is washable and reusable, reducing both waste and costs
- Poly bag keeps each pair or earplugs available or accessible for re-use
- Noise reduction rating (NRR) 25
- 340-4003 uncorded 100/bx
- 340-4004 corded 100/bx



SAFETY PRODUCTS



shown with 7580P100 filters, not included

North 7700 Half Mask, Silicone

- Made from 100% medical grade silicone
- Wide sealing area provides exceptional fit & comfort.
- Dual cartridge connectors
- Easily converts to PAPR or supplied air
- Sizes: Small, Medium, Large



3M™ 6000 Series Full Facepiece Respirators

- Large lens for wide field of view
- Lightweight, balanced design
- Silicone faceseal for greater comfort and durability
- Cartridges and filters sold separately.
- Meets NIOSH 42 CFR 84 requirements.
- Sizes: Small, Medium, Large



Moldex 7000 Series Half Mask Respirator

- Lightweight design plus extra-wide sealing area provides all-day comfort
- Low profile, compact design fits well under welding helmets and with safety glasses
- Adjustable head cradle and curved neck buckles for extra comfort
- Wide field of vision
- Sizes: Small, Medium, Large



by Honeywell

7580P100

North N series particulate filter, P100 (2/pk)



7583P100L

Organic Vapor, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Fluoride, Chlorine Dioxide and P100 Cartridge/Filter Combination. (2/pk)



75SCP100L

Defender Cartridge: Multi-Contaminant Cartridge & P100 Filter. Organic Vapor, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Sulfide, Hydrogen Fluoride, Chlorine Dioxide, Ammonia, Methylamine, Formaldehyde and P100 Cartridge/Filter Combination. (2/pk)



2091

Particulate Filter, P100

NIOSH approved for environments containing certain oil and non-oil based particles. 2/pk



60926

P100 Multiple Gas Cartridge Assembly 2/pk



6001

Organic Vapor Cartridge 2/bx



7100

Organic Vapor Cartridge 1/PR



7640

Multi-Gas/Vapor Smart® Cartridge/P100 Combination Cartridge/Filter 1/PR



7940

P100 Particulate Filter Disk 1/PR



3M 8511 N95 Particulate Respirator

- NIOSH approved for at least 95 percent filtration efficiency against certain non-oil based particles
- 3M Cool Flow Exhalation Valve reduces heat build-up inside the respirator
- Adjustable M-noseclip reduces potential for eyewear fogging
- 10/bx



3M 8210 N95 Particulate Respirator

- NIOSH approved for at least 95 percent filtration efficiency against certain non-oil based particles
- Two-strap design with welded dual point attachment helps provide a secure seal
- Cushioning nose foam
- Adjustable noseclip helps provide a custom fit & secure seal
- 20/bx



Moldex 2730N100 Particulate Respirator w/Handystraps

- 99.97% effective against non-oil based particulates
- HandyStrap® allows mask to conveniently hang down around the user's neck so it's always ready for use.
- Ventex® valve
- Size: Med/Large
- 5/bx



Moldex 4200 Airwave Particulate Respirator

- Exclusive easy-breathing wave design
- Less resistance, better breathability
- Longer wear means less cost
- Softspun® lining for increased comfort and durability.
- Soft foam nose cushion and contour shaped for comfort
- Pinch free nose bridge
- Size Med/Large
- 10/bx





MSA 10152637 Workman®

Arc Flash Harness

- Durable, nylon material won't melt or drip in the event of an arc flash
- Y-shaped D-locator pad keeps torso straps off of the user's neck to prevent chafing
- Velcro lanyard keepers for lanyard stowage when not in use
- Arc Flash symbol for easy identification
- Standard size
- More sizes available



ExoFit NEX™ 1113317

Arc Flash Harness

- Arc flash rated
- PVC coated aluminum back D-ring
- PVC coated aluminum side D-rings
- Nomex®/Kevlar® fiber webbing and comfort padding, locking quick connect buckle leg straps
- Size: Large



Python Safety™ 1500119

Small Parts Pouch

- Innovative self-closure system
- Can be used from a belt or harness
- Made from 18oz duck canvas
- Black



MCR 1700 Big Jake®

- Heavy select chrome tanned side split leather
 - Sewn with super-strong, heat resistant DuPont™ Kevlar® thread
 - All styles generously cut
 - Full feature gunn pattern
- Sizes: L-XL



WELLS LAMONT Industrial

Wells Lamont Y9294 Vis-Tech

- Hi-vis cut resistant shell provides a high level of protection & creates awareness in tough environments
- Polyurethane palm coating provides excellent grip and tactility
- Outstanding fit, comfort and flexibility
- Knit wrist construction prevents dirt and debris from entering the glove
- ANSI Cut Level 4
- Sizes: M-2XL



MCR FRMBCL Flame Resistant (FR)

Safety Vest, Class 2

- FR Solid Modacrylic/Aramid blend fabric, fluorescent lime
- ANSI/ISEA 107 Class 2 Compliant, 2" Silver FR Reflective Stripes
- 5 Point Break Away feature, Hook and Loop closures
- Conforms to NFPA 70E, HRC1, arc rating 5.4 cal/cm², meets ASTM F1506
- D-Ring Access for fall protection harness
- No pockets
- Sizes: M-4XL



Occunomix FR Cotton Single Stripe Solid Vest

- ANSI Class 2
 - 2" 3M™ Scotchlite™ Reflective Material
 - 100% ANSI Flame Resistant Cotton/Polyester blend
 - Nomex® thread
 - Flame resistant binding
 - Hook & Loop closure
 - Meets ASTM F1506
 - Arc Rating: ATPV= 7.1cal /cm²
 - NFPA 70E/HRC = 1
 - Flame resistant through 25 washes
- LUX-SSCGFR/L Large
LUX-SSCGFR/XL X-Large



Mechanixwear MFF-05 FastFit

- Form-fitting TrekDry® material helps keep hands cool and comfortable
- Elastic cuff provides a secure fit with easy on/off flexibility
- Reinforced thumb and index finger provide added durability
- Anatomically designed two-piece palm eliminates material bunching
- Durable synthetic palm
- Sizes 8-12