



3M

3M 07-0012-31BL Speedglas Welding Helmet 100 Black with Auto-Darkening Filter

- 1.73" x 3.66" viewing area
- Includes Speedglas™ 100V auto darkening filter
- Shades 8-12
- Sensitivity adjustment that allows use with all Stick, MIG and TIG welding processes.
- Black



JACKSON

Jackson 14531 860P Leather Welding Helmet

- Features a tough yet pliable leather covering.
- Ideal for use in overhead welding applications or when working in tight spaces.
- 2" x 4.25", Lift Front
- Red



NORTH
by Honeywell

North 7700 Series Silicone Half Mask Respirators

- 100% silicone facepiece
- Dual elasticity headstraps provide a secure and flexible fit.
- Can be adapted to PAPR or Supplied Air to offer flexibility in the workplace.
- NIOSH Approved.



NORTH
by Honeywell

North 7583P100L Organic vapor & acid gas cartridge & P100 filter

- Organic Vapor, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Fluoride, Chlorine Dioxide and P100 Cartridge/Filter Combination
- Threaded connectors that fit North Safety Half Masks and Full Facepieces.
- 1 pair per bag



DYNAFLUX

Dynaflux Safety Plate

- Clear plastic
- SP-5 – 4" x 5"
- SP-1 – 2" x 4"



JACKSON

Jackson 14975 W10 HSL 100 Passive Welding Helmet

- Narrow shell design is perfect for work in tight spaces.
- Extended front increases throat protection against sparks, slag and other physical hazards.
- 4.5" x 5.25" viewing area
- Shade 10
- Black



JACKSON

Jackson 14940 170-SB Headgear

- Enables attachment of Jackson Safety* faceshields.
- Headgear with large spark deflector.
- Ratchet suspension.



MOLDEX

Moldex 7940 P100 Filter Disk

- P100 Particulate filter disks fit under welding helmets.
- P100 Filter Disks have efficiency level of 99.97% or greater against both oil and non-oil based particulate aerosols.
- 100% PVC-Free®.
- 1 pair per bag



Honeywell
Fibre-Metal

Fibre-Metal 5906-GY Tigerhood Welding Helmet

- 2" x 4.25", Lift Front
- Shade 10
- Thermoplastic



MOLDEX

Moldex 7000 Reusable Half-Mask Respirators

- High Resistance to heat and compression, with all the enhanced comfort and durability of silicone.
- Low profile, compact design fits well under welding helmets and with safety glasses
- Adjustable head cradle and curved neck buckles for extra comfort.



MOLDEX

Moldex 7100 Organic Vapor Cartridge

- 100% PVC-Free®
- Can be used with both 7000 and 9000



DYNAFLUX

Dynaflux Glass Filter Plates

- Available in 2" x 4.25" and 4" x 5"
- Shades 4-13

WELDING SAFETY PRODUCTS



3M

3M 8515 Particulate Welding Respirator

- 3M™ Cool Flow™ Valve
- Flame resistant per modified ASTM D2859 (not a substitute for a faceshield)
- Adjustable M nose clip and braided head band
- 10 per box



Honeywell

Honeywell S213 Uvex Horizon Safety Glasses

- Classic flip-up style offers versatility for workers in unique environments.
- Shade 5
- Spatula temples with metal core for adjustability.
- Scratch-resistant hardcoat on lenses for longer life.



3M

3M 11873-00000-20 Virtua CCS Protective Eyewear

- Removable, foam-lined gasket helps limit eye exposure
- Small vents in the gasket help minimize fogging.
- Corded earplug Control System designed to keep eyewear and earplugs attached, untangled and ready to use.
- Polycarbonate lenses absorb 99.9% UVA and UVB
- Gray, anti-fog lens
- 1 each



MOLDEX

Moldex 4800 AirWave Disposable Respirators

- Relief from Nuisance levels of Organic Vapors
- SmartStrap allows respirator to hang around the neck for convenient storage during breaks and to use longer.
- Collapse resistant Dura-Mesh shell helps respirator last longer, reduces waste and increases cost savings.
- Size: M/L
- 8 per box



JACKSON

Jackson 64260 R10 N95 Particulate Respirator Comfort Straps and Dual Valves

- Adjustable, wide, comfortable user-preferred head straps
- Two exhalation valves designed and positioned to help reduce eyewear fogging
- Soft, comfortable, bendable foam nose pad with cloth layer
- 80 per case



JACKSON

Jackson Safety 14838 SC-6 Hard Hat

- Smooth dome design.
- Lightweight; molded from dielectric high-density polyethylene (HDPE).
- Features 4-point comfort ratchet suspension and accessory slots for attaching additional personal protection equipment.
- Head sizes 6.5" to 8".
- Meets ANSI Z89.1, Class C, G and E.



JACKSON

Jackson Safety Blockhead Hard Hats

- Full 360° brim protects wearer from nature's elements.
- Lightweight; molded from high-density polyethylene (HDPE).
- Features 8-point ratchet suspension.
- Soft, absorbent brow pad.
- Meet ANSI Z89.1, Type 1, Class G, E and C.

20697 – White
20698 – Yellow
20699 – Blue



Occunomix

Occunomix VCB100 Cowboy Style Hard Hat Squeeze Lock Suspension

- 6-point deluxe nylon squeeze-lock suspension
- Front Cotton Terry Sweatband
- Extra wide brim provides more UV protection
- Hard hat shell made in USA
- Meets ANSI Z89.1 Type 1, class E & G



WELDAS

Weldas SWEATSOpad Headbands

- Flame retardant cotton outer layer
 - Air-cushioned foam inner layer,
 - Hook and loop for universal fit
 - Orange
- 20-3200V – Hard Hat
20-3100V – Welding Helmet



JACKSON

Jackson Faceshields

- 29104
- F10 PETG
 - Clear
 - 8" x 15.5" x 0.40"
 - 1 each

29052

- F30 Acetate
- Clear
- 8" x 15.5" x 0.40"
- 1 each

SAS
SAFETY CORP.



SAS Safety 5135 Portable Emergency Eyewash Station

- One-hand operation
- Gravity fed, no plumbing required
- Holds 15 gallons of water
- 15-minute flow time
- 1 each



TILLMAN™
The Brand Pros Demand



Tillman 526 Leather Spats

- Made from tough, premium side-split cowhide with rivet reinforced stress points.
- Sewn with Kevlar® thread.
- Adjustable straps secure protectors on shoes.



Occunomix TN5-INFR Tuff Nougies Doo Rags

- 100% Cotton
- Rear ties for secure fit
- Flame-resistant until washed.
- Universal.
- Multiple colors and styles available.



Occunomix TN6 Tuff Nougies

- 100% Cotton
- Rear ties for secure fit
- Universal.
- Multiple colors and styles available.



TILLMAN™
The Brand Pros Demand



Tillman 24C TIG Welders Gloves

- Premium top-grain kidskin leather enhances feel and dexterity.
- Features straight thumb, lock stitching with Kevlar® thread for added strength and 4" cuff for added protection.
- Unlined.
- 1 pair
- Sizes: S-XL



TILLMAN™
The Brand Pros Demand



Tillman 1350 MIG Welders Gloves

- Heavy-duty top grain cowhide
- Wing thumb and seamless forefinger
- Lock stitched with Kevlar® thread for added strength.
- 4" cuff
- Unlined
- Sizes: S-XL



TILLMAN™
The Brand Pros Demand



Tillman 50 MIG Welders Gloves

- Top grain cowhide palm
- Cowhide reinforcements and slip back
- Seamless index finger
- 4" cuff
- Fleece lining
- Kevlar® thread
- Sizes: L-XL

WELLS LAMONT
Industria



Wells Lamont Y1903L Split Cowhide Welder Gloves

- Heavy duty, double tanned selected side split premium cowhide leather
- Sewn with DuPont Kevlar® thread for extreme strength and wearability
- Gunn cut, reinforced thumb
- Flame retardant hand sock lining
- Size: L
- 12 pairs



TILLMAN™
The Brand Pros Demand



Tillman 14" 750 Stick Welders Gloves

- Premium top grain elkskin
- Reinforced thumb
- Lock stitched with Kevlar thread
- Unlined palm, foam lined back
- Gray
- Sizes: S-XL



TILLMAN™
The Brand Pros Demand



Tillman 1414 Cowhide Drivers Gloves

- Top grain cowhide palm and back
- Keystone thumb
- Double stitching
- Unlined
- Sizes: S-2XL



TILLMAN™
The Brand Pros Demand



Tillman 1250 Premium Cowhide Stick Welders Gloves

- Durable, premium side split cowhide with cotton/foam lining for insulation.
- Double reinforced thumb.
- Weltd fingers protect stitching.
- Lock stitched with Kevlar® thread for added strength.
- 14" Length.
- Blue
- 1 pair

JACKSON™
SAFETY GEAR



Jackson 15992 V100 IRUV Cutting Goggle Protection

- Features a 2" x 4.25" IRUV Shade 5.0 lens.
- Adjustable elastic straps
- Flexible frame
- Lift front design.

Gateway
SAFETY



Gateway 1700 Welding Goggle

- Classic, soft frame welding goggle series that provides optimal view of the work area.
- Soft, vinyl frame includes a large venting hood that minimizes fogging.
- Designed to fit over most spectacles and accommodate magnifying lenses.

1710U50 – Lift Front
1775U50 – Fixed Front

WELDING SAFETY PRODUCTS



MOLDEX

Moldex Pura-Fit Foam Earplugs

- 100% PVC-Free®.
- Tapered for easier insertion.
- Improved, softer foam for maximum comfort.
- Hygienically packaged in biodegradable paper pouches.



3M

3M P3000 Tri-Flange Earplugs

- Triple-flanged, premolded earplugs
- Soft, flexible flanges conform to the shape of the ear canal
- Washable and reusable
- Included cord
- NRR 26
- 100 per box
- P3000 - Vinyl Cord
- P3001 - Cloth Cord



MOLDEX

Moldex 6445 Glide Trio Resuable Earplugs

- Unique multi-curved stem rotates for a custom fit
- Large handle on curved stem for easy insertion & removal
- Soft triple flange plug can be washed and reused
- NRR 27
- Corded
- 50 per box



TILLMAN™
The Brand Pros Demand

Tillman 30" 9230 FR Cotton Jacket with Leather Sleeves

- Made of 9 oz., 100% cotton Westex® FR7A® torso with side-split cowhide sleeves sewn with Kevlar® thread.
- Features (1) soapstone pocket on each sleeve and (1) inside pocket.
- Sizes: L-2XL



TILLMAN™
The Brand Pros Demand

Tillman 6217 FR Cotton Sleeves

- 18" length w/ 2-1/4" wide external elastic at both ends.
- Washable, 100% cotton Westex® FR7A®.



TILLMAN™
The Brand Pros Demand

Tillman 6218 Flame-Retardant Cotton Sleeves

- Offers protection from sudden flame exposure, light sparks and light-duty welding.
- Garments made from 9 oz., 100% cotton, Westex® FR7A®.
- Washable.



TILLMAN™
The Brand Pros Demand

Tillman 30" FR Cotton Jacket

- Made from 9 oz., 100% cotton, flame-retardant Westex® FR7A®.
- Features snap fasteners and inside pocket.
- Offers protection from sudden flame exposure, sparks and light welding.
- Sizes: M-3XL



TILLMAN™
The Brand Pros Demand

Tillman 4236 Cowhide Welding Apron

- Premium side split cowhide
- 24" x 36"
- Two chest pockets.
- Cotton crossed back straps
- Sewn with Kevlar® thread.



MILLER

by Honeywell

Miller 650K/UBL Welder Harness

- Lightweight harness with blue, flame-retardant Nomex® webbing to protect against weld splatter.
- Inner Kevlar® core adds strength and high-temperature resistance.
- Equipped with back D-ring, mating-buckle chest and leg straps, friction shoulder straps and sub-pelvic strap.
- 400 lb. capacity
- Universal size



3M | **PROTECTA**
Fall Protection

Protecta 1191384 PRO Vest-Style Harness

- Back D-ring
- Tongue buckle leg straps
- Parachute torso adjusters
- Heat resistant and flame retardant webbing
- Built-in lanyard keepers
- Impact Indicator
- Protected labels
- Sizes: M-XL



3M | **DBI SALA**

DBI Sala ExoFit NEX

- Vest-Style
- Hybrid shoulder, back and leg comfort padding
- Tech-Lite™ aluminum back, front and side D-ring
- Duo-Lok™ quick connect chest and leg straps
- Repel™ webbing
- Built-in reflective materials
- Protected labels, equipped with i-Safe™
- 420 lb. capacity
- Size: L-2XL